

	L #	Hits	Search Text
1	L1	102	dictionary same translat\$3 with (data request information language).ab.
2	L2	1	dictionary same agent same translat\$3 with (data request information language).ab.
3	L3	1	("6466974").PN.
4	L4	0	3 and (dictionary database)
5	L5	1	("5003472").PN.
6	L6	0	5 and (dictionary database)
7	L7	151	(dictionary same engine same translat\$3)
8	L8	1	(dictionary same engine same translat\$3 same agent)
9	L9	4	(dictionary same (gprogram application script code engine) same translat\$3 same agent)
10	L10	8	(dictionary same (program application script code engine applet) same translat\$3 same agent)
11	L11	95	http same xml and name near value and snmp
12	L12	0	11 and native same human same language
13	L14	0	(dictionary same (program application script code engine) same translat\$3 same agent) and 11
14	L15	0	(dictionary same translat\$3 and agent) and 11
15	L16	0	(dictionary same translat\$3) and 11
16	L17	34	(dictionary and translat\$3) and 11
17	L18	34	(dictionary and (conver\$4 interpret\$5 reformat\$4 translat\$3)) and 11
18	L19	108	(www http web internet html) same xml and name near value and snmp
19	L20	35	(dictionary and (conver\$4 interpret\$5 reformat\$4 translat\$3)) and 19
20	L21	221	(www http web internet html) and (applet java xml) and name near value and snmp
21	L22	40	(dictionary and (conver\$4 interpret\$5 reformat\$4 translat\$3)) and 21
22	L23	391	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) and xml
23	L24	79	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) same xml
24	L25	17	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) same xml and value near2 (pair type)

	L #	Hits	Search Text
25	L26	25	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) same xml and value near2 (pair name type)
26	L27	0	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) and xml and select\$4 same agent same value near2 (pair name type)
27	L28	23	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) and xml and select\$4 same value near2 (pair name type)
28	L29	0	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) and (snmp same xml same ipx plurality adj protocols) and select\$4 same value near2 (pair name type)
29	L30	7	(dictionary same (conver\$4 interpret\$5 reformat\$4 translat\$3)) and (snmp same xml same ipx (multiple different plurality) adj3 protocols) and select\$4 same value near2 (pair name type)
30	L31	31	(dictionary (multiple different plurality) adj3 protocols) same (conver\$4 interpret\$5 reformat\$4 translat\$3) and (xml) and select\$4 same value near2 (pair name type)
31	L32	14	(dictionary (multiple different plurality) adj3 protocols) same (conver\$4 interpret\$5 reformat\$4 translat\$3) and (xml) and select\$4 with value near2 (pair name type)
32	L33	4	(dictionary) same (conver\$4 interpret\$5 reformat\$4 translat\$3) same (database data adj center) and (xml) and select\$4 with value near2 (pair name type)
33	L34	6	(dictionary) same (conver\$4 interpret\$5 reformat\$4 translat\$3) and (database data adj center) and (xml) and select\$4 with value near2 (pair name type)
34	L35	17	(dictionary) same (conver\$4 interpret\$5 reformat\$4 translat\$3) and (database data adj center) and (xml) and select\$4 with value near3 (pair name type attribute parameter)

	L #	Hits	Search Text
1	L1	32	xml and dictionary same translat\$3 and (gui html) and name near3 (type pair)
2	L2	2	xml and dictionary same translat\$3 and (gui html) and select\$4 with (parameter attribute type pair) near3 name
3	L3	67	xml and dictionary same translat\$3 and (gui html) and select\$4 with (parameter attribute type pair name)
4	L4	143	xml and dictionary same (conver\$4 interpret\$5 translat\$3) and (gui html) and select\$4 with (parameter attribute type pair name)
5	L5	7	xml and dictionary same (conver\$4 interpret\$5 translat\$3) and (gui html) and select\$4 with (parameter attribute type pair) near3 name
6	L6	5	xml and dictionary same (conver\$4 interpret\$5 translat\$3) and (gui html) and select\$4 with (parameter attribute type pair) near3 name and select\$4 near3 type